MOES POMPEN
VERKOOP, SERVICE & ADVIES

## Onderdelen Lobbenpompen / Draaizuigerpompen U1 - 060 - 064 - 130 - 134

| Q-PUMPS POS # | Q-PUMPS P/N (QP SERIES) | Q-PUMPS DESCRIPTION (QP SERIES) | WAUKESHA POS # | WAUKESHA P/N | AMPCO POS # | AMPCO P/N | AMPCO DESCRIPTION | WRIGHT PUMP P/N | Quantity Per Pump | COMMENT |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | QP1-CA-060-M | QP1 PUMP BODY 060 TRI CLAMP 2.5" | 1 | NA | 32 | P1BDY060001000 | BODY - ZP1 60 | WT0600BDY | 1 | |
| | QP1-CA-060E-M | QP1 PUMP BODY 060E TRI CLAMP 3.0" | 1 | NA | 32 | P1BDY060001000 | BODY - ZP1 60 | NA | 1 | |
| | QP1-CA-130-M | QP1 PUMP BODY 130 TRI CLAMP 3.0" | 1 | NA | 32 | P1BDY130001000 | BODY - ZP1 130 | WT1300BDY | 1 | |
| | QP1-CA-064-M | QP1 PUMP BODY 064 TRI CLAMP 2.5" (RECTANGULAR) | 1 | NA | 32 | P1BDY064001000 | BODY - ZP1 64 | WT0640BDY | 1 | |
| | QP1-CA-134-M | QP1 PUMP BODY 134 TRI CLAMP 3.0" (RECTANGULAR) | 1 | NA | 32 | P1BDY134001000 | BODY - ZP1 134 | WT1340BDY | 1 | |
| 2 | QP1-FC-070 | QP1-070 FRONT COVER (CD0002S00) | 2 | CD0002S00 | 44 | P1CVRCD0002S00 | ZP1-060/130 FRONT COVER | WT0600CVRS | 1 | |
| | QP1-FCJ-070 | QP1 FRONT COVER 060/130 JACKETED (CD0002J10) | 2 | CD0002J10 | 44 | P1CVRCD0002J10 | ZP1-060/130 FRONT JACKETED COVER | WT0600CVRJ | 1 | |
| | QP1-FCRV-070H | QP1 FRONT COVER 060/130 VENTED (OVER 150PSI) | 2 | CVR00036 | 44 | NA | #N/B | NA | 1 | |
| | QP1-FCRV-070L | QP1 FRONT COVER 060/130 VENTED (UNDER 150PSI) | 2 | CVR00024 | 44 | NA | #N/B | NA | 1 | |
| 3 | QP-GC-070-SS | QP GEAR CASE SS QP1&QP2 070 | 3 | 101834(SS) / 070005000(CI) | 10 | P1SX070005000 | GEAR CASE, SS - ZP1 & ZP2 45/60/64/130/134 | WT0700GC-SS | 1 | |
| 4 | QP-GCC-070-SS | QP GEAR CASE COVER SS QP1&QP2 070 | 4 | 102282(SS) / 070106000(CI) | 4 | P1SX070106000 | GEAR CASE COVER, SS - ZP1 & ZP2 45/60/64/130/134 | WT0700GCC-SS | 1 | |
| 5 | QP-107404H-1 | QP GEAR DRIVE 070 HELICAL (107404) | 5 | 107404 (SPUR) / 060007001 | 7 | P1GX060007001 | GEAR DRIVE SHAFT ZP1 & ZP2 45/60/64/130/134 | WT0600GR1 | 1 | |
| 6 | QP-107404H-2 | QP GEAR IDLE 070 HELICAL (107404) | 6 | 107404 (SPUR) / 060007002 | 8 | P1GX060007002 | GEAR SHORT SHAFT ZP1 & ZP2 45/60/64/130/134 | WT0600GR2 | 1 | |
| 7 | QP1-SFD-060 | QP1 DRIVE SHAFT (17-4PH) 060 (60008001) | 7 | 60008001 | 23 | P1SX060008001 | DRIVE SHAFT (17-4PH) - ZP1 60/64 | WT0600DS | 1 | |
| | QP1-SFD-130 | QP1 DRIVE SHAFT (17-4PH) 130 (130008001) | 7 | 130008001 | 23 | P1SX130008001 | DRIVE SHAFT (17-4PH) - ZP1 130/134 | WT1300DS | 1 | |
| 8 | QP1-SFI-060 | QP1 IDLE SHAFT (17-4PH) 060 (60009001) | 8 | 60009001 | 24 | P1SX060009001 | SHORT SHAFT (17-4PH) - ZP1 60/64 | WT0600SS | 1 | |
| | QP1-SFI-130 | QP1 IDLE SHAFT (17-4PH) 130 (130009001) | 8 | 130009001 | 24 | P1SX130009001 | SHORT SHAFT (17-4PH) - ZP1 130/134 | WT1300SS | 1 | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 9 | QP1-RTB-060 | QP1-060 ROTOR DOBLE ALABE(ALLOY-QP) (060010000) | 9 | 060 010 000 | 38 | P1RTB060010000 | ROTOR TWIN BLADE - ZP1 60/64 (STD) - ALLOY 88 | WT0600RTB | 2 | |
| | QP1-RTB-130 | QP1-130 ROTOR DOBLE ALABE(ALLOY-QP) (130010000) | 9 | 130 010 000 | 38 | P1RTB130010000 | ROTOR TWIN BLADE - ZP1 130/134 (STD) - ALLOY 88 | WT1300RTB | 2 | |
| 10 | QP1-108843 | QP STUD LONG - QP1&QP2 060 | 10 | 108843 | 15 | P1GX108843 | STUD - ZP1 & ZP2 60 | WT0600STUD | 8 | STANDARD COVER 060 |
| | QP1-108846 | QP STUD LONG - QP1&QP2 060 JACKETED | 10 | 108846 | 15 | P1GX108846 | STUD, JACKETED COVER - ZP1 & ZP2 60 | WT0600STUDJ | 8 | JACKETED COVER 060 |
| | QP1-130011000 | QP STUD LONG - QP1&QP2 130 (101722) | 10 | 101722 | 15 | P1GX130011000 | STUD - ZP1 130 | WT1300STUD | 8 | STANDARD COVER 130 |
| | QP1-130011001 | QP STUD LONG - QP1&QP2 130 JACKETED | 10 | 130011001 | 15 | P1GX130011001 | STUD, JACKETED COVER - ZP1 130 | WT1300STUDJ | 8 | JACKETED COVER 130 |
| | QP1-108843 | QP STUD LONG - QP1&QP2 060 | 10 | 108843 | 15 | P1GX108843 | STUD - ZP1 & ZP2 60 | WT0600STUD | 6 | 064 RECTANGULAR +STANDARD COVER |
| | QP1-0C1050000 | QP STUD SHORT - QP1&QP2 064 | 10 | 0C1050000 | 15 | P1GX0C1050000 | STUD, SHORT, JACKETED COVER - ZP1 & ZP2 60 | WT0640STUD | 2 | 064 RECTANGULAR +STANDARD COVER |
| | QP1-108846 | QP STUD LONG - QP1&QP2 060 JACKETED | 10 | 108846 | 15 | P1GX108846 | STUD, JACKETED COVER - ZP1 & ZP2 60 | WT0600STUDJ | 6 | 064 RECTANGULAR + JACKETED COVER |
| | QP1-35556 | QP STUD SHORT - QP1&QP2 064 JACKETED | 10 | 35556 | 15 | P1GX35556 | STUD, SHORT, JACKETED COVER - ZP1 & ZP2 60 | WT0640STUDJ | 2 | 064 RECTANGULAR + JACKETED COVER |
| | QP1-130011000 | QP STUD LONG - QP1&QP2 130 (101722) | 10 | 101722 | 15 | P1GX130011000 | STUD - ZP1 130 | WT1300STUD | 6 | 134 RECTANGULAR +STANDARD COVER |
| | QP1-0C1050000 | QP STUD SHORT - QP1&QP2 064 | 10 | 0C1050000 | 15 | P1GX0C1050000 | STUD, SHORT, JACKETED COVER - ZP1 & ZP2 60 | WT0640STUD | 2 | 134 RECTANGULAR +STANDARD COVER |
| | QP1-130011001 | QP STUD LONG - QP1&QP2 130 JACKETED | 10 | 130011001 | 15 | P1GX130011001 | STUD, JACKETED COVER - ZP1 130 | WT1300STUDJ | 6 | 134 RECTANGULAR + JACKETED COVER |
| | QP1-35556 | QP STUD SHORT - QP1&QP2 064 JACKETED | 10 | 35556 | 15 | P1GX35556 | STUD, SHORT, JACKETED COVER - ZP1 & ZP2 60 | WT0640STUDJ | 2 | 134 RECTANGULAR + JACKETED COVER |
| 11 | QP-105852 | QP COVER WING NUT QP1&QP2 070 | 11 | 105852 | 45 | P1GX105852 | WING NUT - ZP1 & ZP2 45/60/64/130/134 | WT0600WNUT | 8 | |
| | QP-108371 | QP COVER HEX NUT QP1&QP2 070 | 11 | 108371 | 45 | P1SX108371 | COVER HEX NUT - ZP1 & ZP2 45/60/64/130/134 | WT0600HEXNUT | 8 | |
| 12 | QP-000030012 | QP OIL SEAL GEAR CASE COVER QP1&QP2 070 (2.25X1.625X0.3IN) | 12 | 000030012 | 2 | P1GX000030012 | OIL SEAL, GEAR CASE COVER - ZP1 & ZP2 45/60/64/130/134 | WT0600GCSC | 1 | |
| 13 | QP-000030011 | QP OIL SEAL GEAR CASE REAR QP1&QP2 070 (3.06X2.25X0.37IN) | 13 | 000030011 | 11 | P1GX000030011 | OIL SEAL REAR - ZP1 & ZP2 45/60/64/130/134 | WT0600GCSR | 2 | |
| 14 | QP1-000030009 | QP1-060/130 GREASE SEAL FRONT BEARING (3.25X2.37X.37) | 14 | 000 030 009 | 27 | P1GX000030009 | GREASE SEAL FRONT BEARING RET. - ZP1 & ZP2 45/60/64/130/134 | WT0600BRGSR-TRA20 | 2 | |
| 15 | QP-107186 | QP REAR BEARING QP1&QP2 070 | 15 | 107186 | 19 | P1GX107186 | REAR BEARING - ZP1 & ZP2 45/60/64/130/134 | WT0600BRGR | 2 | |
| 16 | QP-060036000 | QP FRONT BEARING QP1&QP2 070 | 16 | 060036000 | 22 | P1GX060036000 | FRONT BEARING - ZP1 & ZP2 45/60/64/130/134 | WT0600BRGF | 2 | |
| 17 | QP-060037000 | QP KEY GEAR QP1&QP2 070 | 17 | 060037000 | 9 | P1GX060037000 | GEAR KEY - ZP1 & ZP2 45/60/64/130/134 | WT0600GDK | 2 | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 19 | QP-CD0126000 | QP1 SERIES DRIVE PIN SHAFT SEAL SEAT AND SLEEVE (5/32X1/2) | 19 | CD0 126 000 | 25 | P1GXCD0126000 | DRIVE PIN - ZP1 SERIES | WTCD0126 | 2 | |
| 20 | QP-124582 | QP DOWEL PIN 0.308" X 1.0" (WT03000401) | 20 | CD0 040 000 | 35 | P1GX124583 | DOWEL PERNO 0.370" X 1.0" (P1GXCD0040100) | WT0600040 | 1 | |
| 21 | QP-124584 | QP DOWEL PIN 0.433" X 1.0" (WT0600040R) | 21 | CD0 040 R00 | 30 | P1GX124584 | UPPER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT0600040R | 1 | |
| 22 | QP-124583 | QP DOWEL PIN 0.370" X 1.0" (WT0300040R10) | 22 | CD0 040 100 | 34 | P1GX124582 | UPPER DOWEL PIN, GEAR CASE - ZP1 & ZP2 6/15/18/24 | WT06000401 | 1 | |
| 23 | QP-124586 | QP DOWEL PIN 0.495" X 1.0" (WTWT0600040R10) | 23 | CD0 040 R10 | 31 | P1GX124586 | LOWER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT0600040R10 | 1 | |
| 24 | QP-115798-AL1 | QP OIL PLUG HEX M20-1.5 (ALUMINUM GN.37873) | 24 | 115798 | 3 | P1GX115798 | 20mm x 1.5, HEX PLUG WITH NBR SEAL - ZP1 & ZP2 | WTOILPLUG375-SS | 5 | |
| 24A | QP-115799-AL1 | QP OIL LEVEL INDICATOR M20-1.5 (ALUMINUM GN.37703) | 24 | 115799 | 3 | P1GX115799 | OIL LEVEL INDICATOR, M-20 X 1.5 - ZP1 & ZP2 | NA | 1 | |
| 25 | QP-RTVSEAL | QP SILICON SEALANT QP1&QP2 | 25 | 000142301 | NA | P1GXRTVSEAL | DOW 732 SILICONE (3oz) - ZP1 & ZP2 | WTRTVSEAL | 1 | |
| 26 | QP1-RTJNUT-070 | QP1-60/130 ROTOR JAM NUT (060052001) | 26 | 060 052 001 | 42 | P1SX060052001 | ROTOR JAM NUT - ZP1 60/64/130/134 | WT0600NUT | 4 | |
| 27 | QP-117891 | QP SHIM KIT QP1&QP2 070 | 27 | 117891 | 21 | P1GX117891 | SHIM KIT - ZP1 & ZP2 45/60/64/130/134 | WT0600SHIMKIT | 2 | |
| | QP-0700SHIM002 | QP SHIM SHAFT QP1&QP2 070-0.002" | 27 | NA | 21 | P1GX0700SHIM002 | SHIM, SHAFT 0.002" - ZP1 & ZP2 45/60/64/130/133/134 | NA | AR | |
| | QP-0700SHIM003 | QP SHIM SHAFT QP1&QP2 070-0.003" | 27 | NA | 21 | P1GX0700SHIM003 | SHIM, SHAFT 0.003" - ZP1 & ZP2 45/60/64/130/133/134 | NA | AR | |
| | QP-0700SHIM005 | QP SHIM SHAFT QP1&QP2 070-0.005" | 27 | NA | 21 | P1GX0700SHIM005 | SHIM, SHAFT 0.005" - ZP1 & ZP2 45/60/64/130/133/134 | NA | AR | |
| | QP-0700SHIM010 | QP SHIM SHAFT QP1&QP2 070-0.010" | 27 | NA | 21 | P1GX0700SHIM010 | SHIM, SHAFT 0.010" - ZP1 & ZP2 45/60/64/130/133/134 | NA | AR | |
| | QP-0700SHIM050 | QP SHIM SHAFT QP1&QP2 070-0.050" | 27 | NA | 21 | P1GX0700SHIM050 | SHIM, SHAFT 0.050" - ZP1 & ZP2 45/60/64/130/133/134 | NA | AR | |
| 29 | QP-GS-070 | QP GEAR SPACER 070 (107187) | 29 | 107187 | 18 | P1GX107187 | GEAR TO REAR BEARING SPACER - ZP1 & ZP2 45/60/64/130/134 | WT0600GSP | 2 | |
| 30 | QP-BS-070 | QP BEARING SPACER 070 (060055003) | 30 | 060055003 | 20 | P1GX060055003 | BEARING SPACER - ZP1 & ZP2 45/60/64/130/134 | WT0600BSP | 2 | |
| 31 | QP-STD091002 | QP-070 GRAESE RETAINER REAR BEARING | 31 | STD 091 002 | 26 | NA | #N/B | NA | 2 | |
| 32 | QP-101812 | QP FRONT BEARING RETAINER QP1&QP2 070 | 32 | 121828 | 26 | P1SX121828 | BEARING RETAINER, NEW STYLE 3A - ZP1 & ZP2 60/64/130/134 | WT0600BRF-08 | 2 | |
| 33A | THI-3/8X3/4 | TORNILLO HEXAGONAL INOX 3/8X3/4 (BS200) | 33A | 30-50 | 1 | P1GX30-50 | GEAR CASE COVER BOLT - 3/8-16 X 3/4 HHCS (18-8 SS) | 0700HHCSGCC-SS | 6 | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 33B | THI-3/8X1-1/4 | TORNILLO HEXAGONAL INOX 3/8X1-1/4 | 33B | 30-60 | 28 | P1GX30-60 | BEARING RETAINER BOLT - 3/8-16 X 1-1/4 HHCS (18-8 SS) | 0700BHCSBRGR-SS | 8 | |
| 33C | APLI-3/8 | ARANDELA PLANA INOX 3/8" | 33C | NA | 1a | P1GX43-189 | GEAR CASE COVER WASHER - 3/8 FLAT WASHER (18-8 SS) | 0700GCCWSH-SS | 6 | |
| 34 | QP-CD0116000 | QP UPPER DOWEL BUSHING QP1&QP2 070/220 (0.655X0.433) | 34 | CD0116000 | 17 | P1GXCD0116000 | UPPER DOWEL BUSHING - ZP1 & ZP2 45/60/64/130/134/180/220/224 | WT0600-116 | 1 | |
| 35 | QP-CD0116100 | QP LOWER DOWEL BUSHING QP1&QP2 070/220 (0.655X0.495) | 35 | CD0116100 | 16 | P1GXCD0116100 | LOWER DOWEL BUSHING - ZP1 & ZP2 45/60/64/130/134/180/220/224 | WT0600-116-1 | 1 | |
| 36 | N70272 | ORING NBR COVER QP1 60/130 | 36 | N70272 | 43 | N70272 | O-RING, COVER (BUNA) - ZP1 45/60/64/130/134 | N70272 | 1 | |
| | E70272 | ORING EPDM COVER QP1 60/130 | 36 | E70272 | 43 | E70272 | O-RING, COVER (EPDM) - ZP1 45/60/64/130/134 | E70272 | 1 | |
| | V70272 | ORING FKM COVER QP1 060/130 | 36 | V70272 | 43 | V70272 | O-RING, COVER (VITON) - ZP1 45/60/64/130/134 | V70272 | 1 | |
| 36B | N70366 | ORING NBR BRIDA RECTANGULAR QP1 064 | 36B | N70366 | 33 | N70366 | O-RING, RECTANGULAR FLANGE (BUNA) - ZP1 & ZP2 64 | N70366 | 1 | |
| | N70369 | ORING NBR BRIDA RECTANGULAR QP1 134 | 36B | N70369 | 33 | N70369 | O-RING, RECTANGULAR FLANGE (BUNA) - ZP1 & ZP2 134 | N70369 | 1 | |
| 37 | QP1-223126000 | QP1-60/130/220 STOP PIN SEAL (BODY) | 37 | 223126000 | 29 | P1GX223126000 | SEAL STOP PIN - ZP1 60/64/130/134/220/224 | WT0600SPIN | 2 | |
| 39 | QP-STD136009 | QP LOCK NUT WASHER QP1&QP2 070 | 39 | STD136009 | 6 | P1GXSTD136009 | GEAR LOCKWASHER ZP1 & ZP2 45/60/64/130/134 | WT009LWSH | 2 | |
| 41 | QP-STD236009 | QP LOCK NUT GEAR QP1&QP2 070 | 41 | STD236009 | 5 | P1GXSTD236009 | GEAR LOCKNUT ZP1 & ZP2 45/60/64/130/134 | WT009LNUT | 2 | |
| 42 | QP-GCB-070-SS | QP GEAR CASE BASE SS QP1&QP2 070 | 42 | 102286(SS) / 070 110 000(CI) | 13 | P1SX070110000 | GEAR CASE BASE, SS - ZP1 & ZP2 45/60/64/130/134 | WT0700GCB-SS | 1 | |
| 43 | QP-PIP-1/2 | PLASTIC INSERT PLUG 1/2" | 43 | 000121001 | 3A | P1GXPIP-1/2 | PLASTIC CAP PLUG - ZP1 & ZP2 45/60/64/130/134 | 0700PADPLUG | 12 | |
| 44 | TAI-1/2X1-1/2 | TORNILLO ALLEN CIL INOX 1/2X1-1/2 | 44 | 30-503 | 14 | P1GX60SHCSGCB | SHCS, G. CASE BASE, (18-8 SS) 1/2-13 X 1.5" ZP1 & ZP2 60/130 | 0700SHCSGCB-SS | 4 | |
| 45 | TAI-3/8X3 | TORNILLO ALLEN CIL INOX 3/8X3 | 45 | 30-319 | 37 | P1GX60RETSCREW | BODY RETAINING SCREW, 3/8-16 X 3" SHCS SS - ZP1 & ZP2 60 | WT0600RETSCREW | 2 | |
| | TAI-3/8X4 | TORNILLO ALLEN CIL INOX 3/8X4 | 45 | 30-423 | 37 | P1GX130RETSCREW | BODY RETAINING SCREW, 3/8-16 X 4" SHCS SS - ZP1 & ZP2 130 | WT1300RETSCREW | 2 | |
| 46 | TS-EYEBOLT-1/2 | PERNO ARGOLLA SS-1/2NC TS300 (S0316-0013) | 46 | 30-360 | 37 | P1GXEYEBOLT | EYE BOLT - ZP1 & ZP2 60/64/130/134/220/224 | NA | 2 | |
| 47 | QP-000037003 | QP DRIVE KEY 3/8"SQ X 1-1/2" QP1&QP2 070 | 47 | 000037003 | 47 | P1GX000037003 | DRIVE KEY, 3/8" SQ. X 1-5/8" - ZP1 & ZP2 45/60/64/130/134 | WT0600DRIVEKEY | 1 | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 48 | QP-070PLUG | QP PLASTIC CLEANOUT PLUG+ORING 1-1/16" QP-070 | 48 | 41013 | 46 | P1GX41013 | CLEANOUT PLUG, BLUE, 1-1/16" X 12 - ZP1 & ZP2 45/60/64/130/1 | 0700COPLUG | 4 | |
| | QP-070PLUG-SS | QP SS304 CLEANOUT PLUG+ORING 1-1/16" QP-070 | 48 | NA | 46 | P1GX30PLUG-SS | CLEANOUT PLUG SS, 1-1/16" X 12 - ZP1 & ZP2 030/60/64/130/ | NA | 4 | |
| 61 | QP-NP-01 | QP NAME PLATE | 61 | 001 061 002 | NA | NA | NAME PLATE | | 1 | |
| 62 | QP-NP-RV-01 | QP NAME PLATE RIVET #4 X3/16" RHDS (91654A105) | 62 | 30-355 | NA | NA | RIVET #2X.125 RHDS | | 4 | |
| 63 | QP-OPT-01 | QP1&QP2 O-RING COMBO PICK | NA | AD0096001 | NA | P1GXAD0096001 | O-RING COMBO PICK - ZP1 & ZP2 | WT096RT | 1 | |
| 64 | QP1-070-RTNW | QP1-60/130 ROTOR NUT WRENCH | 64 | 109897 | NA | P1GX109897 | ROTOR NUT WRENCH - ZP1 60/64/130/134 | WT0600WR | 1 | |
| 65 | QP-LB-01-M | CAUTION LABEL QP 070/220 (MEDIUM) | 65 | 33-62 | 3D | P1GX33-62 | CAUTION LABEL | | 1 | |
| 66 | QP-LB-02-M | WARNING LABEL QP 070/220 (MEDIUM) | 66 | 33-60 | 3E | P1GX33-63 | WARNING LABEL | | 1 | |
| 67 | QP-GF-01 | GREASE FITTING STRAIGHT 1/4"-28 TAPER (ZINC PLATED STEEL) | 67 | BD0092000 | 12 | P1GXBD0092001 | 1/4" - 28 Taper, SS GREASE FITTING - ZP1 & ZP2 ALL | WT0600GFITTING-SS | 8 | |
| 68 | QP-GFC-01 | GREASE FITTING PLASTIC CAP | 68 | BD0 093 000 | 12A | P1GXBD0093000 | PLASTIC CAP, GREASE FITTING | NA | 8 | |
| - | QP-OIL-460FG-01 | QP LUB. ISO460-SS OIL (FOOD GRADE) DRUM/LITER | 170ml | 000140003 | NA | P1GX000140003 | 1-GAL. CONTAINER MAGNAPLATE 460FG OIL - ZP1 & ZP2 ALL SIZES | WT140MOIL | AN | 170ml (Top or Bottom) / 280ml (side Mount) |
| - | QP-LG-FG-001 | QP LUB. FG2 GREASE (FOOD GRADE) CARTRIDGE 400GR | NA | 000140002 | NA | P1GX000140002 | 14-OZ. TUBE HALO GUARD FG2 GREASE - ZP1 & ZP2 ALL SIZES | WT142GREASE | AN | |
| ***When purchasing replacement parts for Wright pumps manufactured before 01/01/09 or Waukesha® pumps manufactured before 07/12/04, order the following parts.** | | | | | | | | | | |
| Q-PUMPS POS # | Q-PUMPS P/N (QP SERIES) | Q-PUMPS DESCRIPTION (QP SERIES) | WAUKESHA POS # | WAUKESHA P/N | AMPCO POS # | AMPCO P/N | AMPCO DESCRIPTION | WRIGHT PUMP P/N | Quantity Per Pump | COMMENT |
| 32 | QP1-060080000 | QP1&QP2 60/64/130/134 BEARING RETAINER OLD | 32 | 060 080 000 | 26 | P1SX060080000 | BEARING RETAINER - ZP1 & ZP2 60/64/130/134 | WT0600BRF | 2 | |