MOES POMPEN
VERKOOP, SERVICE & ADVIES

## Onderdelen Lobbenpompen / Draaizuigerpompen U1 - 220 - 224

| Q-PUMPS POS # | Q-PUMPS P/N (QP SERIES) | Q-PUMPS DESCRIPTION (QP SERIES) | WAUKESHA POS # | WAUKESHA P/N | AMPCO POS # | AMPCO P/N | AMPCO DESCRIPTION | WRIGHT PUMP P/N | Quantity Per Pump | COMMENT |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | QP1-CA-220-M | QP1 PUMP BODY 220 TRI CLAMP 4" | 1 | NA | 32 | P1BDY220001000 | BODY - ZP1 220 | WT2200BDY | 1 | |
| | QP1-CA-224-M | QP1 PUMP BODY 224 TRI CLAMP 4" (RECTANGULAR) | 1 | NA | 32 | P1BDY224001000 | BODY - ZP1 224 | WT2240BDY | 1 | |
| 2 | QP1-FC-220 | QP1 -220 FRONT COVER | 2 | GD0002S00 | 44 | P1CVRGD0002S00 | COVER ZP1 220 | WT2200CVRS | 1 | |
| | QP1-FCJ-220 | QP1 FRONT COVER 220 JACKETED | 2 | GD0002J10 | 44 | P1CVRGD0002J10 | COVER, JACKETED - ZP1 220/224 | NA | 1 | |
| | QP1-FCRV-220H | QP1 FRONT COVER 220 VENTED (OVER 150PSI) | 2 | CVR00106 | 44 | NA | #N/B | NA | 1 | |
| | QP1-FCRV-220L | QP1 FRONT COVER 220 VENTED (UNDER 150PSI) | 2 | CVR00009 | 44 | NA | #N/B | NA | 1 | |
| 3 | QP-GC-220-SS | QP GEAR CASE SS QP1&QP2 220 | 3 | 101836(SS) / 230005000(CI) | 10 | P1SX230005000 | GEAR CASE, SS - ZP1 & ZP2 180/220/224 | WT2200GC-SS | 1 | |
| 4 | QP-GCC-220-SS | QP GEAR CASE COVER SS QP1 & QP2 220 | 4 | 102283(SS) / 230106000(CI) | 4 | P1SX230106000 | GEAR CASE COVER, SS - ZP1 & ZP2 180/220/224 | NA | 1 | |
| 5 | QP-110932H-1 | QP GEAR DRIVE 220 HELICAL (110932) | 5 | 110932 (SPUR) | 7 | P1GX220007001 | GEAR DRIVE SHAFT ZP1 & ZP2 180/220/224 | WT2200GR1 | 1 | |
| 6 | QP-110932H-2 | QP GEAR IDLE 220 HELICAL (110932) | 6 | 110932 (SPUR) | 8 | P1GX220007002 | GEAR SHORT SHAFT ZP1 & ZP2 180/220/224 | WT2200GR2 | 1 | |
| 7 | QP1-SFD-220 | QP1 DRIVE SHAFT (17-4PH) 220 (35349) | 7 | 35349 | 23 | P1SX220008001 | DRIVE SHAFT (17-4PH) - ZP1 220/224 | WT2200DS | 1 | |
| 8 | QP1-SFI-220 | QP1 IDLE SHAFT (17-4PH) 220 (35350) | 8 | 35350 | 24 | P1SX220009001 | SHORT SHAFT (17-4PH) - ZP1 220/224 | WT2200SS | 1 | |
| 9 | QP1-RTB-220 | QP1-220 ROTOR DOBLE ALABE(ALLOY-QP) (220010000) | 9 | 220010000 | 38 | P1RTB220010000 | ROTOR TWIN BLADE - ZP1 220/224 (STD) - ALLOY 88 | WT2200RTB | 2 | |
| 10 | QP-108844 | QP STUD LONG - QP1&QP2 220 | 10 | 108844 | 15 | P1GX108844 | STUD - ZP1 & ZP2 220/223/224 | WT2200STUD | 8 | STANDARD COVER 220 |
| | QP-108847 | QP STUD LONG - QP1&QP2 220 JACKETED | 10 | 108847 | 15 | NA | #N/B | NA | 8 | JACKETED COVER 220 |
| | QP-108844 | QP STUD LONG - QP1&QP2 220 | 10 | 108844 | 15 | P1GX108844 | STUD - ZP1 & ZP2 220/223/224 | WT2200STUD | 6 | 224 RECTANGULAR +STANDARD COVER |
| | QP-35550 | QP STUD SHORT - QP1&QP2 224 | 10 | 35550 | 15 | P1GX35550 | STUD, SHORT, STANDARD COVER - ZP1 & ZP2 224 | NA | 2 | 224 RECTANGULAR +STANDARD COVER |
| | QP-108847 | QP STUD LONG - QP1&QP2 220 JACKETED | 10 | 108847 | 15 | NA | #N/B | NA | 6 | 224 RECTANGULAR + JACKETED COVER |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | QP-36144 | QP STUD SHORT - QP1&QP2 224 JACKETED | 10 | 36144 | 15 | NA | #N/B | WT2240STUD | 2 | 224 RECTANGULAR + JACKETED COVER |
| 11 | QP-105853 | QP COVER WING NUT QP1&QP2 220 | 11 | 105853 | 45 | P1GX105853 | WING NUT - ZP1 & ZP2 180/220/224 | WT2200WNUT | 8 | |
| | QP-108372 | QP COVER HEX NUT QP1&QP2 220 | 11 | 108372 | 45 | P1SX108372 | COVER HEX NUT - ZP1 & ZP2 180/220/224 | WT2200HEXNUT | 8 | |
| 12 | QP-STD030006 | QP OIL SEAL GEAR CASE COVER QP1&QP2 220 (3.0X2.0X0.31IN) | 12 | STD030006 | 2 | P1GXSTD030006 | OIL SEAL, GEAR CASE COVER - ZP1 & ZP2 220/223/224 | WT2200GCSC | 1 | |
| 13 | QP-STD119002 | QP OIL SEAL GEAR CASE REAR QP1&QP2 220 | 13 | STD119002 | 11 | P1GXSTD119002 | OIL SEAL REAR - ZP1 & ZP2 220/223/224 | WT2200GCSR | 2 | |
| 14 | QP-STD030002 | QP-220/320 FRONT GREASE SEAL (3.94X3.37X0.37 W-121681) | 14 | STD 030 002 | 27 | P1GXSTD030002 | GREASE SEAL FRONT BEARING RET. - ZP1 & ZP2 220/223/224 | WT2200BRGSR | 2 | |
| 15 | QP-200035000 | QP REAR BEARING QP1&QP2 220 | 15 | 200 035 000 | 19 | P1GX200035000 | REAR BEARING - ZP1 & ZP2 220/223/224 | WT2200BRGR | 2 | |
| 16 | QP-200036000 | QP FRONT BEARING QP1&QP2 220 | 16 | 200 036 000 | 22 | P1GX200036000 | FRONT BEARING - ZP1 & ZP2 220/223/224 | WT2200BRGF | 2 | |
| 17 | QP-200037000 | QP KEY GEAR QP1&QP2 220 | 17 | 200037000 | 9 | P1GX200037000 | GEAR KEY - ZP1 & ZP2 180/220/224 | WT2200GDK | 2 | |
| 19 | QP-CD0126000 | QP1 SERIES DRIVE PIN SHAFT SEAL SEAT AND SLEEVE (5/32X1/2) | 19 | CD0 126 000 | 25 | P1GXCD0126000 | DRIVE PIN - ZP1 SERIES | WTCD0126 | 2 | |
| 20 | QP-124584 | QP DOWEL PIN 0.433" X 1.0" (WT0600040R) | 20 | GD0 040 000 | 34 | P1GX124584 | UPPER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT2200040 | 1 | |
| 21 | QP-124584 | QP DOWEL PIN 0.433" X 1.0" (WT0600040R) | 21 | CD0 040 R00 | 30 | P1GX124584 | UPPER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT0600040R | 1 | |
| 22 | QP-124586 | QP DOWEL PIN 0.495" X 1.0" (WTWT0600040R10) | 22 | GD0 040 100 | 35 | P1GX124586 | LOWER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT22000401 | 1 | |
| 23 | QP-124586 | QP DOWEL PIN 0.495" X 1.0" (WTWT0600040R10) | 23 | CD0 040 R10 | 31 | P1GX124586 | LOWER DOWEL PIN, GEAR CASE - ZP1 & ZP2 45/60/64/130/134 | WT0600040R10 | 1 | |
| 24 | QP-115798-AL1 | QP OIL PLUG HEX M20-1.5 (ALUMINUM GN.37873) | 24 | 115798 | 3 | P1GX115798 | 20mm x 1.5, HEX PLUG WITH NBR SEAL - ZP1 & ZP2 | WTOILPLUG500-SS | 5 | |
| 24A | QP-115799-AL1 | QP OIL LEVEL INDICATOR M20-1.5 (ALUMINUM GN.37703) | 24 | 115799 | 3 | P1GX115799 | OIL LEVEL INDICATOR, M-20 X 1.5 - ZP1 & ZP2 | NA | 1 | |
| 25 | QP-RTVSEAL | QP SILICON SEALANT QP1&QP2 | 25 | 000142301 | NA | P1GXRTVSEAL | DOW 732 SILICONE (3oz) - ZP1 & ZP2 | WTRTVSEAL | 1 | |
| 26 | QP1-RTJNUT-220 | QP1-220 ROTOR JAM NUT (GD0 052 001) | 26 | GD0 052 001 | 42 | P1SXGD0052001 | ROTOR JAM NUT - ZP1 220/224 | WT2200NUT | 4 | |
| 27 | QP-117892 | QP SHIM KIT QP1&QP2 220 | 27 | 117892 | 21 | P1GX117892 | SHIM KIT - ZP1 & ZP2 180/220/224 | WT2200SHIMKIT | 1 | |
| | QP-2200SH002A | QP SHIM SHAFT QP1&QP2 220-0.002" | 27 | NA | 21 | P1GX2200SH002A | SHIM, SHAFT 0.002" - ZP1 & ZP2 220/223/224 | NA | AR | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | QP-2200SH003A | QP SHIM SHAFT QP1&QP2 220-0.003" | 27 | NA | 21 | P1GX2200SH003A | SHIM, SHAFT 0.003" - ZP1 & ZP2 220/223/224 | NA | AR | |
| | QP-2200SH005A | QP SHIM SHAFT QP1&QP2 220-0.005" | 27 | NA | 21 | P1GX2200SH005A | SHIM, SHAFT 0.005" - ZP1 & ZP2 220/223/224 | NA | AR | |
| | QP-2200SH010A | QP SHIM SHAFT QP1&QP2 220-0.010" | 27 | NA | 21 | P1GX2200SH010A | SHIM, SHAFT 0.010" - ZP1 & ZP2 220/223/224 | NA | AR | |
| | QP-2200SH050A | QP SHIM SHAFT QP1&QP2 220-0.050" | 27 | NA | 21 | P1GX2200SH050A | SHIM, SHAFT 0.050" - ZP1 & ZP2 220/223/224 | NA | AR | |
| 29 | QP-GS-220 | QP GEAR SPACER 220 (40878) | 29 | 40878 | 18 | P1GX40878 | GEAR TO REAR BEARING SPACER - ZP1 & ZP2 180/184/220/223/224 | WT2200GSP | 2 | |
| 30 | QP-BS-220 | QP BEARING SPACER 220 (40752) | 30 | 40752 | 20 | P1GX40752 | BEARING SPACER - ZP1 & ZP2 180/184/220/223/224 | WT2200BSP | 2 | |
| 32 | QP-101813 | QP FRONT BEARING RETAINER QP1&QP2 220 | 32 | 101813 | 26* | P1SX121829 | BEARING RETAINER, NEW STYLE 3A - ZP1 & ZP2 180/220/224 | WT2200BRF-08 | 2 | |
| 33A | THI-3/8X3/4 | TORNILLO HEXAGONAL INOX 3/8X3/4 (BS200) | 33A | 30-50 | 1 | P1GX30-50 | GEAR CASE COVER BOLT - 3/8-16 X 3/4 HHCS (18-8 SS) | 0700HHCSGCC-SS | 6 | |
| 33B | THI-3/8X1-1/4 | TORNILLO HEXAGONAL INOX 3/8X1-1/4 | 33B | 30-60 | 28 | P1GX30-60 | BEARING RETAINER BOLT - 3/8-16 X 1-1/4 HHCS (18-8 SS) | 0700BHCSBRGR-SS | 8 | |
| 33C | APLI-3/8 | ARANDELA PLANA INOX 3/8" | 33C | NA | 1a | P1GX43-189 | GEAR CASE COVER WASHER - 3/8 FLAT WASHER (18-8 SS) | 0700GCCWSH-SS | 6 | |
| 34 | QP-CD0116000 | QP UPPER DOWEL BUSHING QP1&QP2 070/220 (0.655X0.433) | 34 | CD0 116 000 | 17 | P1GXCD0116000 | UPPER DOWEL BUSHING - ZP1 & ZP2 45/60/64/130/134/180/220/224 | WT0600-116 | 1 | |
| 35 | QP-CD0116100 | QP LOWER DOWEL BUSHING QP1&QP2 070/220 (0.655X0.495) | 35 | CD0 116 100 | 16 | P1GXCD0116100 | LOWER DOWEL BUSHING - ZP1 & ZP2 45/60/64/130/134/180/220/224 | WT0600-116-1 | 1 | |
| 36 | QP1-GD0117000 | QP1-220 ORING COVER (NBR) HARDNESS 70 ID:320 MM W:3.55 MM | 36 | GD0117000 | 43 | P1GXGD0117000 | O-RING, COVER (BUNA) - ZP1 220/224 | GDO117000 | 1 | |
| | QP1-GD0117002 | QP1-220 ORING COVER (EPDM) HARDNESS 70 ID:320 MM W:3.55 MM | 36 | GD0117002 | 43 | P1GXGD0117002 | O-RING, COVER (EPDM) - ZP1 220/224 | GD0117002 | 1 | |
| | QP1-GD0117V00 | QP1-220 ORING COVER (FKM) HARDNESS 70 ID:320 MM W:3.55 M | 36 | GD0117V00 | 43 | P1GXGD0117V00 | O-RING, COVER (VITON) - ZP1 220/224 | GDO117V00 | 1 | |
| 36B | N70376 | ORING NBR BRIDA RECTANGULAR QP1 224 | 36B | N70376 | 33 | N70376 | O-RING, RECTANGULAR FLANGE (BUNA) - ZP1 184 | N70376 | 1 | |
| 37 | QP1-223126000 | QP1-60/130/220 STOP PIN SEAL (BODY) | 37 | 223 126 000 | 29 | P1GX223126000 | SEAL STOP PIN - ZP1 60/64/130/134/220/224 | WT0600SPIN | 2 | |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| 39 | QP-STD136011 | QP LOCK NUT WASHER QP1&QP2 220 | 39 | STD136011 | 6 | P1GXSTD136011 | GEAR LOCKWASHER ZP1 & ZP2 220/223/224 | WT011LWSH | 2 | |
| 41 | QP-STD236011 | QP LOCK NUT GEAR QP1&QP2 220 | 41 | STD236011 | 5 | P1GXSTD236011 | GEAR LOCKNUT ZP1 & ZP2 220/223/224 | WT011LNUT | 2 | |
| 42 | QP-GCB-220-SS | QP GEAR CASE BASE SS QP1&QP2 220 | 42 | 102287(SS) / 230110000(CI) | 13 | P1SX230110000 | GEAR CASE BASE, SS - ZP1 & ZP2 180/220/224 | WT2200GCB-SS | 1 | |
| 43 | QP-PIP-1/2 | PLASTIC INSERT PLUG 1/2" | 43 | 000121001 | 3A | P1GXPIP-1/2 | PLASTIC CAP PLUG - ZP1 & ZP2 45/60/64/130/134 | 0700PADPLUG | 12 | |
| 44 | TAI-1/2X2 | TORNILLO ALLEN CIL INOX 1/2X2 | 44 | 30-44 | 14 | P1GX30-44 | SHCS, G. CASE BASE, (18-8 SS) 1/2-13 X 2" ZP1 & ZP2 220/223 | 2200SHCSGCB-SS | 4 | |
| 45 | TAI-3/8X4.5 | TORNILLO ALLEN CIL INOX 3/8X4.5 | 45 | 30-499 | 37 | P1GX30-499 | BODY RETAINING SCREW, 3/8-16 X 4.5" SHCS SS - ZP1 & ZP2 220/ | WT0600RETSCREW | 2 | |
| 46 | TS-EYEBOLT-1/2 | PERNO ARGOLLA SS-1/2NC TS300 (S0316-0013) | 46 | 30-360 | 3C | P1GXEYEBOLT | EYE BOLT - ZP1 & ZP2 60/64/130/134/220/224 | WTEYEBOLT | 2 | |
| 47 | QP-000037004 | QP DRIVE KEY 1/2"SQ X 1-5/8" QP1&QP2 220 | 47 | 000037004 | 47 | P1GX000037004 | DRIVE KEY, 1/2" SQ. X 1" - ZP1 & ZP2 180/220/224 | WT2200DRIVEKEY | 1 | |
| 48 | QP-070PLUG | QP PLASTIC CLEANOUT PLUG+ORING 1-1/16" QP-070 | 48 | 41013 | 46 | P1GX41013 | CLEANOUT PLUG, BLUE, 1-1/16" X 12 - ZP1 & ZP2 45/60/64/130/1 | 0700COPLUG | 4 | |
| | QP-070PLUG-SS | QP SS304 CLEANOUT PLUG+ORING 1-1/16" QP-070 | 48 | NA | 46 | P1GX30PLUG-SS | CLEANOUT PLUG SS, 1-1/16" X 12 - ZP1 & ZP2 030/60/64/130/ | NA | 4 | |
| 61 | QP-NP-01 | QP NAME PLATE | 61 | 001 061 002 | NA | NA | NAME PLATE | NA | 1 | |
| 62 | QP-NP-RV-01 | QP NAME PLATE RIVET #4 X3/16" RHDS (91654A105) | 62 | 30-355 | NA | NA | RIVET #2X.125 RHDS | NA | 4 | |
| 63 | QP-OPT-01 | QP1&QP2 O-RING COMBO PICK | NA | AD0096001 | NA | P1GXAD0096001 | O-RING COMBO PICK - ZP1 & ZP2 | WT096RT | 1 | |
| 64 | QP1-220-RTNW | QP1-220 ROTOR NUT WRENCH | 64 | 109898 | NA | P1GX109898 | ROTOR NUT WRENCH - ZP1 220/224 | WT2200WR | 1 | |
| 65 | QP-LB-01-M | CAUTION LABEL QP 070/220 (MEDIUM) | 65 | 33-62 | 3D | P1GX33-62 | CAUTION LABEL | NA | 1 | |
| 66 | QP-LB-02-M | WARNING LABEL QP 070/220 (MEDIUM) | 66 | 33-60 | 3E | P1GX33-63 | WARNING LABEL | NA | 1 | |
| 67 | QP-GF-01 | GREASE FITTING STRAIGHT 1/4"-28 TAPER (ZINC PLATED STEEL) | 67 | BD0092000 | 12 | P1GXBD0092001 | 1/4" - 28 Taper, SS GREASE FITTING - ZP1 & ZP2 ALL | WT0600GFITTING-SS | 8 | |
| 68 | QP-GFC-01 | GREASE FITTING PLASTIC CAP | 68 | BD0 093 000 | 12A | P1GXBD0093000 | PLASTIC CAP, GREASE FITTING | NA | 8 | |
| - | QP-OIL-460FG-01 | QP LUB. ISO460-SS OIL (FOOD GRADE) DRUM/LITER | 320ml | 000140003 | NA | P1GX000140003 | 1-GAL. CONTAINER MAGNAPLATE 460FG OIL - ZP1 & ZP2 ALL SIZES | WT140MOIL | AN | 320ml (Top or Bottom) / 600ml (side Mount) |
| - | QP-LG-FG-001 | QP LUB. FG2 GREASE (FOOD GRADE) CARTRIDGE 400GR | NA | 000140002 | NA | P1GX000140002 | 14-OZ. TUBE HALO GUARD FG2 GREASE - ZP1 & ZP2 ALL SIZES | WT142GREASE | AN | |